

| | | | | | | | | | | | | | | |
|--|---|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| the brake fluid, clutch fluid, power steering fluid, washer fluid. coolant | | x | x | x | x | x | x | x | x | x | x | x | x | x |
| Engine coolant - check and adjust the antifreeze/corrosion protection rating | | x | x | x | x | x | x | x | x | x | x | x | x | x |
| Vehicles with temporary tire sealing kit - check sealant container - replace every four years (see decal) | | | | | | | | | | | | | | |
| Auxiliaries belts, belt tensioner -replace according to the service program or: - replace at a maximum 10 year interval | Only applies to B5254TX | | | | | | x | | | | | | x | |
| Auxiliary unit belt, belt tensioner, idler pulley -replace according to the service program or: - replace at a maximum 10 year interval | Applies only to B63x4x | | | | | | | | x | | | | | |
| Rubber connection generator -replace according to the service program or: - replace at a maximum 15 year interval | Applies only to B63x4x See method for generator. | | | | | | | | x | | | | | |
| Auxiliary unit belt, belt tensioner, idler pulleys -replace according to the service program or: - replace at a maximum 10 year interval | Only applies to B8444S | | | | | | | | x | | | | | |
| Program point: | year: | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| | km x 1000: | 30 | 60 | 90 | 120 | 150 | 180 | 210 | 240 | 270 | 300 | 330 | 360 | 390 |
| | miles x 1000: | 18 | 36 | 54 | 72 | 90 | 108 | 126 | 144 | 162 | 180 | 198 | 216 | 234 |
| Timing belt, belt tensioner, idler pulley -replace according to the service program or: - replace at a | Only applies to B5254TX | | | | | | x | | | | | | x | |

